

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	69	(US-20050180508-\$ or US-20050189384-\$ or US-20040268088-\$ or US-20050002460-\$ or US-20020114395-\$ or US-20020048321-\$ or US-20040071217-\$ or US-20020041626-\$ or US-20010005398-\$ or US-20060174081-\$ or US-20050066083-\$ or US-20050036554-\$ or US-20060023954-\$ or US-20020057369-\$ or US-20050195329-\$ or US-20050021902-\$ or US-20030012552-\$ or US-20040080780-\$ or US-20060263069-\$ or US-20050024369-\$ or US-20050083337-\$ or US-20020135589-\$ or US-20030123555-\$) did. or (US-7079583-\$ or US-6898246-\$ or US-7027515-\$ or US-6947485-\$ or US-6490324-\$ or US-6462744-\$ or US-7126642-\$ or US-6377302-\$ or US-5122885-\$ or US-4513374-\$ or US-6215822-\$ or US-7055018-\$ or US-6931511-\$ or US-6822654-\$ or US-6618442-\$ or US-6573846-\$ or US-5646693-\$ or US-7114058-\$ or US-6891893-\$ or US-5874995-\$ or US-5581310-\$ or US-5812791-\$ or US-5729303-\$ or US-5675387-\$ or US-5920352-\$ or US-6944226-\$) did. or (US-5461486-\$ or US-6819326-\$ or US-6122442-\$ or US-6071004-\$ or US-4370712-\$ or US-4450559-\$ or US-5778412-\$ or US-5790447-\$ or US-7143264-\$ or US-6826689-\$ or US-6363502-\$ or US-6219745-\$ or US-4907101-\$ or US-4578814-\$ or US-4785393-\$ or US-6473336-\$ or US-7068847-\$ or US-6614442-\$ or US-5872577-\$) did. or (US-20050002460-\$) did.	US-POPUB; USPAT; DERWENT	OR	ON	2009/06/01 11:56
L4	17	3 and contiguous\$2	US-POPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 11:56
L5	625	writ\$3 with ((macro adj1 block) or macroblock or macro-block) with (memory or buffer)	US-POPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 12:28
L6	733828	instruct\$3	US-POPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 12:28
L7	52	L5 same L6	US-POPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 12:28
L8	6125	(decod\$3 or decompress\$3) with ((macro adj1 block) or macroblock or "macro-block")	US-POPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 12:28
L9	42	L7 and L8	US-POPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 12:28

L10	11	L9 and ((macroblock or "macro-block") same display)	[US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 12:28
L11	36	L9 and ((macroblock or "macro-block") and display)	[US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 12:29
L12	214	writ\$3 with (decoded or decompressed) same ((macro adj1 block) or macroblock or macro-block) with (memory or buffer)	[US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 13:25
L13	62	12 and five	[US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 13:25
L14	12	"5461486"	[US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 13:34
L15	2	writ\$3 with five with (decoded or decompressed) same ((macro adj1 block) or macroblock or macro-block or block \$1)	[US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 13:41
L16	0	(writ\$4 or stor\$3) with five with decoded with ((macro adj1 block) or macroblock or macro-block) with (memory or buffer)	[US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 13:45
L17	22	five with decoded with ((macro adj1 block) or macroblock or macro-block)	[US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 13:47
L18	750	(writing or stor\$3) same five with (macroblocks or "macro-blocks" or blocks) with (memory or buffer)	[US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 14:02
L19	283	18 and (decoded or decompressed)	[US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 14:02

S1	508	writ\$3 with ((macro adj1 block) or macroblock or macro-block) with (memory or buffer)	[US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/17 17:34
S2	598808	instruct\$3	[US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/17 17:33
S3	39	S1 same S2	[US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/21 11:56
S4	4723	(decod\$3 or decompress\$3) with ((macro adj1 block) or macroblock or "macro-block")	[US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/21 11:57
S5	29	S3 and S4	[US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/17 17:35
S6	2	"20050002460"	[US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/21 11:18
S7	1536	ramakrishnan .in.	[US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/21 11:19
S8	633	S7 and stor\$3	[US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/21 11:20
S9	113	S8 and instruct\$3	[US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/21 11:20
S10	104	S9 and (memory or "DRAM" or buffer)	[US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/21 11:21

SI1	13650	(macro adj1 block) or "macro-block" or macroblock	{US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/21 11:21
SI2	3	SI0 and SI1	{US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/21 11:21
SI3	60	writ\$3 with luminance with memory with portion\$1	{US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/21 11:33
SI4	37	writ\$3 with chrominance with memory with portion\$1	{US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/21 11:33
SI5	33	SI3 and SI4	{US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/21 11:47
SI6	5	SI5 and contiguous	{US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/21 11:47
SI7	93	instruct\$3 with ((macro adj1 block) or macroblock or "macro-block") with memor\$3	{US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/21 11:58
SI8	74	SI7 and writ\$3	{US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/21 11:58
SI9	73	SI8 and (decod\$3 or decompr\$4)	{US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/21 12:52
SI20	3218	(decod\$3 or decompr\$4) near4 ("macroblock" or "macroblocks" or (macro adj1 block) or "macro-block")	{US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/21 13:17

S21	44	instruct\$3 with ("macroblock" or "macroblocks" or (macro adj1 block) or "macro-block") with (stor\$3 or sav\$3) with (memory or buffer)	[US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/21 13:00
S22	36	S20 and S21	[US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/21 12:56
S23	78	(instruct\$3 or instruction) with ("macroblock" or "macroblocks" or (macro adj1 block) or "macro-block") with (stor\$3 or sav\$3) with (memory or buffer)	[US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/21 13:01
S24	49	S23 and S20	[US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/21 13:11
S25	1	(execut\$3 or executing or execution) near3 (instruction or program\$1) with (write or writing) near4 (macroblock\$1 or "macro-block") near4 (memory or buffer)	[US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/21 13:13
S26	4	(execut\$3 or executing or execution) near3 (instruction or program\$1) with (write or writing or store or storing or save or saving) near4 (macroblock\$1 or "macro-block") near4 (memory or buffer)	[US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/21 13:14
S27	91	(storing or store) with (macroblock or "macro-block") with memory with (row\$1 or bank\$1)	[US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/21 13:16
S28	47	S27 and (instructing or instruction)	[US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/21 13:16
S29	18	S28 and S20	[US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/21 13:17
S30	6	("5384581"   "5598483"   "5675331"   "5675387"   "5729303"   "5812791").PN.	[US-PGPUB; USPAT; USOCR	OR	ON	2007/09/21 14:30
S31	34	instruction with (store or storing) with (macroblock or "macro-block") with (memory or "DRAM" or buffer)	[US-PGPUB; USPAT; USOCR	OR	ON	2007/09/21 14:31

S32	43	(decod\$3 or decompres\$4) with five with (macroblock\$1 or (macro adj2 block))	{US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/21 16:11
S33	2	decod\$3 adj2 five adj3 macroblocks	{US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/21 16:09
S34	8181	(decod\$3 or decompres\$4) with (five or multiple or plurality) with (macroblocks or "macro-blocks" or block\$1)	{US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/21 16:13
S35	2	((five adj1 luminance) same ((five adj2 chrominance)	{US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/21 16:16
S36	5762	(store or storing) and S34	{US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/21 16:17
S37	23482	luminance and chrominance	{US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/21 17:41
S38	526	S36 and S37	{US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/21 16:17
S39	405	S38 and MPEG\$	{US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/21 16:18
S40	97815	instruction with (store or writ\$3 or storing or writing) with (memory or buffer)	{US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/21 16:19
S41	68	S39 and S40	{US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/21 16:19

S42	2272	luminance same chrominance same matrix	{US_PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/21 17:42
S43	66	(memory or buffer or "DRAW") same (store or storing or save) same luminance same chrominance same matrix	{US_PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/21 17:52
S44	11479	five near4 (macroblocks or blocks)	{US_PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/21 17:44
S45	3	S43 and S44	{US_PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/21 17:44
S46	0	S43 and contiguous	{US_PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/21 17:53
S47	9	S43 and contiguous	{US_PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/21 18:00
S48	6	(deco\$3 or decoding or decompress\$3) near4 five near4 (macroblocks or "macro-block")	{US_PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/21 18:01
S49	2	"6215822".pn.	{US_PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/22 13:11
S50	0	S49 and deco\$3 and matrix and macroblock\$1	{US_PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/22 13:12
S51	2	S49 and deco\$3 and macroblock\$1	{US_PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/22 13:12

\$52	1	\$51 and chrominance and luminance	{US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/22 13:21
\$53	1	\$52 and (stor\$3 or sav\$3)	{US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/22 13:33
\$54	17	(stor\$3 or storing) with ("macro-blocks" or "macroblocks") with memory with (contiguous\$2 or contiguously)	{US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/22 13:21
\$55	11	\$54 and chrominance and luminance	{US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/22 13:21
\$56	6	\$55 and matrix\$2	{US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/22 13:22
\$57	33	(decod\$3 or decompress\$3) same (five near4 (macroblocks or "macro-blocks"))	{US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/22 13:32
\$58	32	\$57 and (stor\$3 or sav\$3)	{US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/22 13:33
\$59	30	\$57 and ((stor\$3 or sav\$3 or writing or write) with (memory or buffer))	{US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/22 13:34
\$60	21	\$59 and (instructing or instruction or instruct)	{US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/22 13:34
\$61	21	\$60 and MPEG\$	{US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/22 13:42



S62	21	(decod\$3 or decompress\$4) with five near4 (macroblocks or "macro-blocks")	{US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/22 13:43
S63	1536	ramakrishnan .in.	{US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/22 14:07
S64	1	S63 and five and macroblocks	{US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/22 14:07
S65	267	(decod\$3 or decompress\$4) with (five adj3 (macroblocks or "macro-blocks" or blocks or frame\$1))	{US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 10:07
S66	153	(decod\$3 or decompress\$4) with (five adj3 (macroblocks or "macro-blocks" or blocks))	{US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 10:08
S67	1404002	(writ\$4 or stor\$3) with (memory or buffer)	{US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 10:09
S68	123	S66 and S67	{US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 10:09
S69	147741	luminance or chrominance	{US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 10:09
S70	39	S68 and S69	{US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 10:42
S71	15742	((375/240.01,340.9,240.12,240.15,240.16,240.25,240.24) or (348/384,402,405,415,416,419,420,699,700,714,715,718,716,717,719,396,395,397) or (382/232,233,234,235,236,237,238,239,302,303,304,305)).ods.	{US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 13:04

S72	48	S65 and S71	[US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 13.04
S73	17	(stor\$3 or storing) with ("macro-blocks" or "macroblocks") with memory with (contiguous\$2 or contiguously)	[US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 13.06
S74	11	S73 and chrominance and luminance	[US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 13.06
S75	6	S74 and matrix\$2	[US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 13.06
S76	5	S75 and S71	[US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 13.06
S77	509	writ\$3 with ((macro adj1 block) or macroblock or macro-block) with (memory or buffer)	[US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 13.07
S78	600285	instruct\$3	[US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 13.07
S79	39	S77 same S78	[US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 13.07
S80	4735	(decod\$3 or decompress\$3) with ((macro adj1 block) or macroblock or "macro-block")	[US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 13.07
S81	29	S79 and S80	[US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 13.07

S82	20	S81 and S71	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 13:23
S83	20	S82 and (video or image or picture)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 13:24
S84	20	S83 and MPEG\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 13:24
S85	0	S81 and (store or storing) and (luminance and chrominance)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 15:29
S86	13	S81 and ((store or storing) and (luminance and chrominance))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 15:29
S87	2	"5345279".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/25 12:26
S88	509	writ\$3 with ((macro adj1 block) or macroblock or macro-block) with (memory or buffer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 10:42
S89	601364	instruct\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 10:42
S90	39	S88 same S89	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 11:43
S91	4745	(decod\$3 or decompress\$3) with ((macro adj1 block) or macroblock or "macro-block")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 10:42

S92	29	S90 and S91	{US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 10:42
S93	4	S90 and (media with (processor or processing) with (instruction or software))	{US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 11:44
S94	2	"7079583".pn.	{US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/20 13:52
S95	1	S94 and (compress\$2 or encod\$2) same (stor\$3 or sav\$3)	{US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/20 13:52
S96	2565	consecutive with data with words	{US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/17 15:15
S97	551	writ\$3 with ((macro adj1 block) or macroblock or macro-block) with (memory or buffer)	{US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/17 15:15
S98	44	S97 and S96	{US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/17 15:15
S99	242716	second same third with portion\$1	{US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/17 15:57
S100	133	S99 and S96	{US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/17 15:57
S101	2522	(writ\$4 or stor\$3) with ((macro adj1 block) or macroblock or macro-block) with (memory or buffer)	{US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/17 15:58

S102	2	S100 and S101	{US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/17 15:58
S103	2	(macroblock\$1 or "macro-block\$1") same occupies with data with words	{US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/17 16:03
S104	133	S100 and S96	{US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/17 16:04
S105	128	S104 and (macroblock or "macro-block" or block\$1)	{US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/17 16:05
S106	960	memory with portion\$1 same (plurality or multiple) with data with word\$1	{US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/23 14:39
S107	1411	memory with (portion\$1 or section\$1) same (plurality or multiple) with data with word\$1	{US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/23 14:40
S108	276694	(stor\$3 or writ\$3) with (block\$1 or macroblock or "macro-block")	{US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/23 14:41
S109	143	S107 same S108	{US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/23 14:42
S110	103	S109 and (decod\$3 or decompress\$3)	{US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/23 14:43

SI11	63	(US-20050180508-\$ or US-20050169384-\$ or US-20040268088-\$ or US-20050002460-\$ or US-20020114395-\$ or US-20020048321-\$ or US-20040071217-\$ or US-20020041626-\$ or US-20010005396-\$ or US-20060174081-\$ or US-20050066083-\$ or US-20050036554-\$ or US-20060023954-\$ or US-20020057369-\$ or US-20050195329-\$ or US-20050021902-\$ or US-20030012552-\$ or US-20040008780-\$ or US-20060263069-\$ or US-20050024369-\$ or US-20050083337-\$ or US-20020135589-\$) did. or (US-7079583-\$ or US-6898246-\$ or US-7027515-\$ or US-6947486-\$ or US-6490324-\$ or US-6462744-\$ or US-7126642-\$ or US-6377302-\$ or US-5122885-\$ or US-4513374-\$ or US-6215822-\$ or US-7055018-\$ or US-6931511-\$ or US-6822654-\$ or US-6618442-\$ or US-6573846-\$ or US-5646693-\$ or US-7114058-\$ or US-6891893-\$ or US-5874995-\$ or US-5581310-\$ or US-5812791-\$ or US-5729303-\$ or US-5675387-\$ or US-5920352-\$ or US-6944226-\$) did. or (US-5461486-\$ or US-6819326-\$ or US-6122442-\$ or US-6071004-\$ or US-4370712-\$ or US-4450559-\$ or US-5778412-\$ or US-5790447-\$ or US-7143264-\$ or US-6826669-\$ or US-6363502-\$ or US-6219745-\$ or US-4907101-\$ or US-4575814-\$) did. or (US-20050002460-\$) did.	US-PGPUB; USPAT; DERWENT	OR	ON	2008/05/23 14:59
SI12	47	SI11 and word	US-PGPUB; USPAT, EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/23 14:59
SI13	37	SI11 and (data with word)	US-PGPUB; USPAT, EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/23 14:59
SI14	29	SI13 and buffer	US-PGPUB; USPAT, EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/23 15:00
SI15	17017	((375/240,01,340,9,240,12,240,15,240,16,240,25,240,24) or (348/384,402,405,415,416,419,420,699,700,714,715,718,716,717,719,396,395,397) or (382/232,233,234,235,236,237,238,239,302,303,304,305)) ccls.	US-PGPUB; USPAT, FPPS; EPO, JPO; DERWENT; IBM_TDB	OR	ON	2008/05/23 16:23
SI16	11	SI14 and SI15	US-PGPUB; USPAT, FPPS; EPO, JPO; DERWENT; IBM_TDB	OR	ON	2008/05/23 16:23
SI17	19	SI12 and SI15	US-PGPUB; USPAT, FPPS; EPO, JPO; DERWENT; IBM_TDB	OR	ON	2008/05/23 16:24
SI18	1724	(RAMAKRISHNAIAH-NINGIAH RAMAKRISHNAIAH RAMAKRISHNAIAH-MELUR RAMAKRISHNAM RAMAKRISHNAM-ET- AL RAMAKRISHNAN RAMAKRISHNANA RAMAKRISHNAN-A RAMAKRISHNAN-ARUL RAMAKRISHNAN-ARUN RAMAKRISHNAN-ASHOK).IN.	US-PGPUB; USPAT, FPPS; EPO, JPO; DERWENT; IBM_TDB	OR	ON	2008/05/23 16:28
SI19	0	SI18 AND SI07	US-PGPUB; USPAT, FPPS; EPO, JPO; DERWENT; IBM_TDB	OR	ON	2008/05/23 16:29

SI20	551	writ\$3 with ((macro adj1 block) or macroblock or macro-block) with (memory or buffer)	{US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/23 16:29
SI21	2	SI20 and SI18	{US_PGPUB; USPAT; FRFS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/23 16:29
SI22	586	writ\$3 with ((macro adj1 block) or macroblock or macro-block) with (memory or buffer)	{US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 14:24
SI23	691039	instruct\$3	{US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 14:24
SI24	45	SI22 same SI23	{US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 14:24
SI25	5739	(decod\$3 or decompress\$3) with ((macro adj1 block) or macroblock or "macro-block")	{US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 14:24
SI26	35	SI24 and SI25	{US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 14:24
SI27	5	SI26 and matrix and decoded and (luminance or chrominance)	{US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/20 14:24
SI28	4956	portion same single same data same word	{US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/22 13:32
SI29	1406298	second with portion	{US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/22 13:32

S130	504	S128 same S129	[US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/22 13:32
S131	68	S130 same third with portion	[US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/22 13:33
S132	625	writ\$3 with ((macro adj1 block) or macroblock or macro-block) with (memory or buffer)	[US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/31 13:15
S133	733828	instruct\$3	[US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/31 13:15
S134	52	S132 same S133	[US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/31 13:15
S135	6125	(decod\$3 or decompress\$3) with ((macro adj1 block) or macroblock or "macro-block")	[US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/31 13:15
S136	42	S134 and S135	[US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/31 13:15
S137	34	S136 and display\$3 and frame and (macroblock or "macro-block")	[US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/31 13:15
S138	19	("4280147"   "4796110"   "4969055"   "5023710"   "5130861"   "5136391"   "5144500"   "5144501"   "5237424"). PN. OR ("5461486") URP.N	[US-PGPUB; USPAT; USOCR	OR	ON	2009/05/31 13:45
S139	665	(writ\$4 or stor\$3) with decoded with ((macro adj1 block) or macroblock or macro-block) with (memory or buffer)	[US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/31 13:49



SI40	254	SI39 and luminance and chrominance	{US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/31 13:50
SI41	20	SI39 same luminance same chrominance	{US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/31 13:50

6/1/09 4:49:25 PM

C:\Documents and Settings\bsenfil\My Documents\EAST\Workspaces\10716008 search.wsp